



Ref: FOIA Reference 2024/25-102

Date: 29th May 2024

Email foi@uhnm.nhs.uk

Dear Sir/ Madam

I am writing to acknowledge receipt of your email dated 13th May 2024 requesting information under the Freedom of Information Act (2000) regarding General Ward Monitoring

As of 1st November 2014 University Hospitals of North Midlands NHS Trust (UHNM) manages two hospital sites – Royal Stoke University Hospital, and County Hospital (Stafford). Therefore the response below is for the two sites combined from that date where appropriate.

Q1 We would like to place a Freedom of Information request, wishing to obtain an Install Base report for Monitoring systems within general wards at your NHS hospitals. We are specifically looking for the following information.

- **Hospital Name**
- **Hospital Postcode**
- **General ward monitoring OEM**
- **Model**
- **Installation date (Please provide year of installation, where various please provide number installed within each specific year)**
- **How many beds in your general ward**
- **Is your general ward monitor connected to an EPR**
- **Who is your EPR supplier**

System Definitions:

- **EPR – An electronic patient/health record is a digital version of a patient's paper chart.**
- **OEM – original equipment manufacturer e.g. Philips**
- **General Ward monitoring – A general ward monitor also known as a vital signs monitor or a spot check monitor is typically used to track a patients vital signs and overall wellbeing sporadically. A few examples of such include Philips EarlyVue VS30, Mindray VS900 and GE Portratin VSM.**

A1 See below:

- Hospital Name University Hospitals of North Midlands NHS Trust
- Hospital Postcode ST4 6QG
- General ward monitoring OEM Various (see attached)
- Model Various (see attached)

Year	Installed
2024	3
2023	193
2022	171
2021	38
2020	78
2019	28
2018	23
2017	46
2016	58
2015	61
2014	71
2013	15
2012	20
2011	5
2010	15
2009	9
2008	26
2007	3
2002	2
	865

- How many beds in your general ward=

G&A beds inc escalation

- County 176
- Royal Stoke 1,198

- Is your general ward monitor connected to an EPR = no
- Who is your EPR supplier

I can confirm that the Trust holds information regarding EPR, but feel this information is exempt under section 21: *information reasonably accessible by other means*. This is because the information is available via the Trust's public website at the following link:

<http://www.uhnm.nhs.uk/about-us/regulatory-information/freedom-of-information-publication-scheme/freedom-of-information-disclosure-log/> please note that we regularly answer questions regarding EPR and the list below is just a selection:

092-2122
261-2122
313-2122
426-2122
525-2122
650-2122
673-2122

049-2223
141-2223
259-2223
301-2223
429-2223
456-2223
712-2223
230-2324
449-2324
456-2324
464-2324
649-2324
649-2324

*Please note that any individuals identified do not give consent for their personal data to be processed for the purposes of direct marketing.

UHNM NHS Trust is a public sector body and governed by EU law. FOI requestors should note that any new Trust requirements over the EU threshold will be subject to these regulations and will be advertised for open competition accordingly.

Where the Trust owns the copyright in information provided, you may re-use the information in line with the conditions set out in the Open Government Licence v3 which is available at <http://www.nationalarchives.gov.uk/doc/open-government-licence/version/3/>. Where information was created by third parties, you should contact them directly for permission to re-use the information.

An anonymised copy of this request can be found on the Trust's disclosure log, please note that all requests can be found at the following link: <http://www.uhn.nhs.uk/aboutus/Statutory-Policies-and-Procedures/Pages/Freedom-of-Information-Disclosure-Log.aspx>

This letter confirms the completion of this request. A log of this request and a copy of this letter will be held by the Trust.

If you have any queries related to the response provided please in the first instance contact my office.

Should you have a complaint about the response or the handling of your request, please also contact my office to request a review of this. If having exhausted the Trust's FOIA complaints process you are still not satisfied, you are entitled to approach the Information Commissioner's Office (ICO) and request an assessment of the manner in which the Trust has managed your request.

The Information Commissioner may be contacted at:

Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire SK9 5AF or via www.ico.org.uk.

Yours,



University Hospitals
of North Midlands
NHS Trust

Rachel Montinaro
Data Security and Protection Manager - Records

