

YOUR NEXT PATIENT WARD ASSESSMENT PROFORMA – updated September 2022 V3

Ward	Risk Rating	Boarding Locations	Single Sex	Bed/ Trolley/ Chair	Screens available	Call bell accessible or ability to call	Oxygen Available	Suction Available	Access to a toilet	Restricting Fire Exit?	Senior Sister/Charge Nurse Safety Assessment	IP Safety Assessment
MEDICAL DIVISION – ROYAL STOKE UNIVERSITY HOSPITAL												
AMU RSUH Wards 231/ 232	TBC	On trigger of YNP SOP, AMU would be required to send upto 15 patients to base wards and receive upto 15 patients from ED in a short timeframe so additional patients are not advocated, unless in extreme circumstances. In such circumstances an additional patient could be admitted into a 4 bedded bay.	Yes	Chair	Portable screens	Hand Bell	Portable O2 Cylinder	Portable Unit on Resus Trolley	Yes	No	Implementation of "Your Next Patient" on AMU would depend upon model of flow. Safe depending upon acuity of patients, staffing levels, prior notification and quality of handover but Concerns due to lack of confidentiality privacy & dignity	IPC have assessed that there is not sufficient space in the 4 bedded bays to nurse an additional patient on a bed, due to need to comply with IP guidance on bed spacing Health Building note 00-09 Patient to toilet/shower ratio will

Ward	Risk Rating	Boarding Locations	Single Sex	Bed/ Trolley/ Chair	Screens available	Call bell accessible or ability to call	Oxygen Available	Suction Available	Access to a toilet	Restricting Fire Exit?	Senior Sister/Charge Nurse Safety Assessment	IP Safety Assessment
												increase
76A	TBC	<p>Bed space 25 is used for the additional patient</p> <p>If a definite discharge is identified and it is safe to sit the definite discharge patient next to the nurses' station then a further patient can be accommodated.</p>	Yes	Bed/ chair	<p>Yes at Bed space 25</p> <p>Portable screens required if patient sat at nurses station</p>	Yes	Yes	Yes	Yes	No	Has to be assessed as an additional seated patient is dependent on a definite discharge.	Bed 25 is not suitable for continued use due to proximity next to the sink

Ward	Risk Rating	Boarding Locations	Single Sex	Bed/ Trolley/ Chair	Screens available	Call bell accessible or ability to call	Oxygen Available	Suction Available	Access to a toilet	Restricting Fire Exit?	Senior Sister/Charge Nurse Safety Assessment	IP Safety Assessment
76B	TBC	<p>Bay 1 is used for the additional patient</p> <p>If a definite discharge is identified and it is safe to sit the definite discharge patient next to the nurses' station then a further patient can be accommodated.</p>	yes	Bed/ chair	<p>Yes in Bay 1</p> <p>Portable screens required if patient sat at nurses station</p>	Yes	Yes	Yes	Yes	No	Has to be assessed as an additional seated patient is dependent on a definite discharge.	Additional Bed in Bay 1 is not suitable for continued use due to proximity next to the sink
78	TBC	<p>Bay 2 is used for the additional patient</p> <p>If a definite discharge is identified and it is safe to sit the definite discharge patient next to the nurses' station then a further patient can be accommodated.</p>	yes	Bed/ Chair	<p>Yes in Bay 2</p> <p>Portable screens required if patient sat at nurses station</p>	Yes	Yes	Yes	Yes	No	Has to be assessed as an additional seated patient is dependent on a definite discharge.	Additional Bed in Bay 2 is not suitable for continued use due to proximity next to the sink

Ward	Risk Rating	Boarding Locations	Single Sex	Bed/ Trolley/ Chair	Screens available	Call bell accessible or ability to call	Oxygen Available	Suction Available	Access to a toilet	Restricting Fire Exit?	Senior Sister/Charge Nurse Safety Assessment	IP Safety Assessment
80	TBC	Bedspace 11 is used for the additional patient	Yes	Bed/ chair	Yes	Yes	Yes	Yes	Yes	No	As per IP Safety assessment and dependent upon acuity of patients	Additional Bed in Bedspace 11 is not suitable for continued use due to infection prevention restrictions
81	TBC	Bedspace 16A is used for the additional patient	Yes	Bed/ chair	Yes	Yes	Yes	Yes	Yes	No	As per IP Safety assessment and dependent upon acuity of patients	Additional Bed in Bedspace 16A is not suitable for continued use due to infection prevention restrictions

Ward	Risk Rating	Boarding Locations	Single Sex	Bed/ Trolley/ Chair	Screens available	Call bell accessible or ability to call	Oxygen Available	Suction Available	Access to a toilet	Restricting Fire Exit?	Senior Sister/Charge Nurse Safety Assessment	IP Safety Assessment
113	TBC	1 additional patient admitted into a 4 bedded bay (Bay 1, 3 or 4 depending on gender).	Yes	Chair	Portable screens	Hand Bell	Portable O2 Cylinder	Portable Unit on Resus Trolley	Yes	Yes, in Bay 2	Safety assessment depends upon acuity of patients, staffing levels, prior notification and quality of handover but Concerns due to lack of confidentiality & dignity.	IPC have assessed that there is not sufficient space in Bay 1, 3 or 4 to nurse an additional patient on a bed, due to need to comply with IPC guidance on bed spacing Health Building note 00-09 Patient to toilet/shower ratio will increase

Ward	Risk Rating	Boarding Locations	Single Sex	Bed/ Trolley/ Chair	Screens available	Call bell accessible or ability to call	Oxygen Available	Suction Available	Access to a toilet	Restricting Fire Exit?	Senior Sister/Charge Nurse Safety Assessment	IP Safety Assessment
117	TBC	No additional patients accepted due to specialist nature of Ward and configuration of 100% single rooms unless a patient deemed fit for discharge is assessed to be safely sat in a communal area prior to discharge										
120	TBC	To be configured as winter escalation ward including Discharge Lounge Your Next Patient to be confirmed										

Ward	Risk Rating	Boarding Locations	Single Sex	Bed/ Trolley/ Chair	Screens available	Call bell accessible or ability to call	Oxygen Available	Suction Available	Access to a toilet	Restricting Fire Exit?	Senior Sister/Charge Nurse Safety Assessment	IP Safety Assessment
121	TBC	1 additional patient admitted into a 6 bedded bay (Bay 1 or 4 depending on gender).	Yes	Chair	Portable screens	Hand Bell	Portable O2 Cylinder	Portable Unit on Resus Trolley	Yes	Yes, in Bay 2 and 3	Safety assessment depends upon acuity of patients, staffing levels, prior notification and quality of handover but Concerns due to lack of confidentiality & dignity.	IPC have assessed that there is not sufficient space in Bay 1 or 4 to nurse an additional patient on a bed, due to need to comply with IPC guidance on bed spacing. IPC concerns about ratio of toilets and Showers: patients. Health Building note 00-09 Patient to toilet/shower ratio will increase

Ward	Risk Rating	Boarding Locations	Single Sex	Bed/ Trolley/ Chair	Screens available	Call bell accessible or ability to call	Oxygen Available	Suction Available	Access to a toilet	Restricting Fire Exit?	Senior Sister/Charge Nurse Safety Assessment	IP Safety Assessment
122	TBC	1 additional patient admitted into a 6 bedded bay (Bay 1, or 4 depending on gender).	Yes	Chair	Portable screens	Hand Bell	Portable O2 Cylinder	Portable Unit on Resus Trolley	Yes	Yes, in Bay 2 and 3	Safety assessment depends upon acuity of patients, staffing levels, prior notification and quality of handover but Concerns due to lack of confidentiality & dignity.	IPC have assessed that there is not sufficient space in Bay 1 or 4 to nurse an additional patient on a bed, due to need to comply with IPC guidance on bed spacing. IPC concerns about ratio of toilets and Showers: patients. Health Building note 00-09 Patient to toilet/shower ratio will increase

Ward	Risk Rating	Boarding Locations	Single Sex	Bed/ Trolley/ Chair	Screens available	Call bell accessible or ability to call	Oxygen Available	Suction Available	Access to a toilet	Restricting Fire Exit?	Senior Sister/Charge Nurse Safety Assessment	IP Safety Assessment
123 FEAU	TBC	On trigger of YNP SOP, FEAU would be required to send upto 15 patients to base wards and receive upto 15 patients from ED in a short timeframe so additional patients are not advocated, unless in extreme circumstances. In such circumstances an additional patient could be admitted into a 6 bedded bay depending on gender and mental capacity.	Yes	Chair	Portable screens	Hand Bell	Portable O2 Cylinder	Portable Unit on Resus Trolley	Yes	Yes, in Bay 2 and 3	Safety assessment depends upon acuity/mental capacity of patients, staffing levels, prior notification and quality of handover but Concerns due to lack of confidentiality & dignity.	IPC have assessed that there is not sufficient space in Bay 1,2,3 or 4 to nurse an additional patient on a bed, due to need to comply with IPC guidance on bed spacing. IPC concerns about ratio of toilets and Showers: patients. Health Building note 00-09 Patient to toilet/shower ratio will increase

Ward	Risk Rating	Boarding Locations	Single Sex	Bed/ Trolley/ Chair	Screens available	Call bell accessible or ability to call	Oxygen Available	Suction Available	Access to a toilet	Restricting Fire Exit?	Senior Sister/Charge Nurse Safety Assessment	IP Safety Assessment
124 Renal Unit	TBC	Due to specialist nature of Ward and increase of Haemodialysis demand, additional patients requiring Dialysis treatment are managed using flexi-beds on a daily basis										
126	TBC	1 additional patient admitted into a 4 bedded bay depending on gender. Bay 5 and 6 unsuitable due to isolation pods	Yes	Chair	Portable screens	Hand Bell	Portable O2 Cylinder	Portable Unit on Resus Trolley	Yes	No	Safety assessment depends upon acuity of patients, staffing levels, prior notification and quality of handover but Concerns due to lack of confidentiality & dignity.	IPC have assessed that there is not sufficient space in Bay 1, 3 or 4 to nurse an additional patient on a bed, due to need to comply with IPC guidance on bed spacing Health

Ward	Risk Rating	Boarding Locations	Single Sex	Bed/ Trolley/ Chair	Screens available	Call bell accessible or ability to call	Oxygen Available	Suction Available	Access to a toilet	Restricting Fire Exit?	Senior Sister/Charge Nurse Safety Assessment	IP Safety Assessment
												Building note 00-09 Patient to toilet/shower ration will increase
222	TBC	No additional patients accepted due to specialist nature of Ward and configuration of Level 1 and 2 bedspaces. Aim for 1 protected bedspace for NIV admissions.										

Ward	Risk Rating	Boarding Locations	Single Sex	Bed/ Trolley/ Chair	Screens available	Call bell accessible or ability to call	Oxygen Available	Suction Available	Access to a toilet	Restricting Fire Exit?	Senior Sister/Charge Nurse Safety Assessment	IP Safety Assessment
230	TBC	1 Additional patient admitted into 1 of the 4 bedded bays. Nursed in a reclining chair next to a table.	Yes	Chair	Portable screens	Hand Bell	Portable O2 Cylinder	Portable Unit on Resus Trolley	Yes	No	Safety assessment depends upon acuity of patients, staffing levels, prior notification and quality of handover but Concerns due to lack of confidentiality privacy & dignity	IPC have assessed that there is not sufficient space in the 4 bedded bays to nurse an additional patient on a bed, due to need to comply with IPC guidance on bed spacing
233 SSU (22 Beds)	TBC	Maximum of 2 additional patients admitted into 3 of the 4 bedded bays (1 patient per bay). Nursed in a reclining chair next to a table.	Yes	Chair	Portable screens	Hand Bell	Portable O2 Cylinder	Portable Unit on Resus Trolley	Yes	No	Safety assessment depends upon acuity of patients, staffing levels, prior notification and quality of handover but Concerns due to lack of	IPC have assessed that there is not sufficient space in the 4 bedded bays to nurse an additional patient on a bed, due to need to

Ward	Risk Rating	Boarding Locations	Single Sex	Bed/ Trolley/ Chair	Screens available	Call bell accessible or ability to call	Oxygen Available	Suction Available	Access to a toilet	Restricting Fire Exit?	Senior Sister/Charge Nurse Safety Assessment	IP Safety Assessment
											confidentiality privacy & dignity	comply with IPC guidance on bed spacing

DRAFT